

1 Software -3 Parameters



Dear Dr. Max Mustermann

May we introduce to you the revised software PreSens Measurement Studio 2, which does not only control several PreSens oxygen measurement devices ... no, it allows now to control several oxygen, pH and CO₂ PreSens meters simultaneously.

You might also want to read one of our latest application examples, showing the performance of three different reactor concepts concerning the oxygen input into the liquid phase.

Bioengineering is your topic? Then have a look at our very first scientific video publication ...

And finally, we kindly invite you to please sign up for one or several of our application specific newsletters - coming soon!

Enjoy reading and do not hesitate to contact us in case of any questions!

Your PreSens Team

- >> Product News
- >> Application Example
- >> Scientific Video Publication
- >> Newsletter Registration
- >> Upcoming Exhibitions

Product News

>> Back

PreSens Measurement Studio 2 - PMS2 (version 3.0.0)



The PreSens Measurement Studio 2 has been developed and designed to control **several USB-based** PreSens O2, pH & CO2 devices connected to a PC with one software. It enables data transfer between device and PC. Easy data management for sensors, measurement files, and users as well as export of files into .csv and Excel® format can be realized with just a few clicks. The intuitive measurement control eases performing precise measurements with a multitude of devices simultaneously.

Main features:

- Easy data management
- Data transfer
- Grouping of measurement channels


Application Example

>> Back

Gas Input Measurements Using an Optical Oxygen Probe

Oxygen Input into the Liquid Phase of Three Different Reactor Concepts Measured with OXY-1 SMA trace

The aim of this work was to show the performance of three different reactor concepts concerning the oxygen input into the liquid phase. For this purpose, water was aerated at 4.2 bar with synthetic air and the oxygen concentration measured at the reactor outlet. The results show a very good gas input in all three systems, as the theoretical maximum concentration of dissolved oxygen was almost reached. However, neither a significant difference between the two types of reactors nor of the two types of stirrers could be detected.



>> Read the entire application note ...

Scientific Video Publication

Have a look on our first scientific video publication, showing the "Methanol Independent Expression by Pichia Pastoris Employing De-repression Technologies" by using the multi-parameter system SFR vario.

Topics Important to You!

We want to inform you targeted to your interests and will therefore implement an application based customer newsletter. You may register for one or more of the following topics:

- Animal & Plant Physiology
- Biotech / Cell Culture / Life Sciences
- Food / Beverage / Packaging
- Process Industry
- Respirometry
- Soil / Water / Interfaces
- Tissue Engineering
- Wastewater Treatment

>> Interested? Then please use this link to sign up!

Upcoming Exhibitions

>> Back

April 2 - 5, 2019

BioProcess International Europe 2019

Vienna, Austria, Messe Wien Exhibition Congress Center, Booth 80

April 24 - 27, 2019

RPP10 2019

Crete, Greece, Hotel Creta Maris

You would like to learn even more about PreSens Precision Sensing? Please visit our homepage www.presens.de and don't hesitate to contact us. Any feedback will be appreciated.

With kind regards

Christina Schlauderer

Communications



PreSens Precision Sensing GmbH

Am BioPark 11 - 93053 Regensburg - Germany Phone +49 941 942 72 109, Fax +49 941 942 72 111 christina.schlauderer@presens.de, www.PreSens.de

Trade Register Ingolstadt HRB 101505, CEO: Achim Stangelmayer

Click here to unsubscribe.